



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/593,403	06/18/2007	Hiromi Inagaki	OCB-240-A	1269
21828 7590 10/08/2009 CARRIER BLACKMAN AND ASSOCIATES 43440 WEST TEN MILE ROAD EATON CENTER NOVI, MI 48375				
EXAMINER KING, BRADLEY T				
ART UNIT		PAPER NUMBER		
3657				
NOTIFICATION DATE		DELIVERY MODE		
10/08/2009		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

cbalaw@gmail.com
cbalaw@ameritech.net
wblackman@ameritech.net

Office Action Summary

Application No.

10/593,403

Applicant(s)

INAGAKI ET AL.

Examiner

Bradley T. King

Art Unit

3657

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SF/DF)
Paper No(s)/Mail Date 9/19/2006, 10/04/2007, 05/04/2009.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: ____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____.

DETAILED ACTION

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP 57-190903 in view of Shirey (US# 4215767).

JP 57-190903 discloses an actuator comprising; a piston (6) slidably fitted into a casing (1); a lock mechanism (2) provided within the casing so as to automatically lock in response to forward movement of the piston (6) in order to mechanically lock the piston (6) at a forward position and unlock in response to a release control fluid pressure acting on the lock mechanism (2), the lock mechanism (2) comprising a lock piston (16) that is slidably fitted into the casing to the rear of the piston (6) so that the release control fluid pressure can act on the lock piston (16) toward the rear and a spring (22) provided in a compressed state between the lock piston (16) and the casing so as to exhibit a spring force that urges the piston (6) to move forward; a fluid pressure source; and fluid pressure control means for controlling a fluid pressure generated by the fluid pressure source so that the control fluid pressure and the release control fluid

pressure can be obtained; an opening provided in a portion of the casing that the rear side of the lock piston (16) faces being closed by a detachable lid member (19), a tool connection part being provided in a rear portion of the lock piston (16), and the tool connection part enabling a tool (23) inserted through the opening to be detachably connected to the tool connection part. JP 57-190903 lacks the explicit disclosure of the actuator being used in a parking brake. Shirey discloses a similar actuator and further teaches its use in a parking brake environment. It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the actuator of JP 57-190903 in a parking brake environment, as demonstrated by Shirey, to provide secure and controllable locking to parking brake applications, thereby increasing the usefulness of the device.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Halasy-Wimmer et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley T. King whose telephone number is (571) 272-7117. The examiner can normally be reached on 11:00-7:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Siconolfi can be reached on (571) 272-7124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Bradley T King/
Primary Examiner, Art Unit 3657

BTK